

**PAINT
WOOD**

G R E S
A R T®

C E R Â M I C A



PAINTWOOD

16x100/15x75

**4 COLORS
2 SIZES
2 FINISHES**

Natural

White

Grey

Smoke



NATURAL PAINTED WOOD EFFECT







Paintwood Grey 16x100



Paintwood White 16x100
Paintwood White Anti-Slip 16x100



Paintwood White 16x100

PAINTWOOD


NATURAL



Paintwood Natural
GPC/GPR 0548
16x100
Paintwood Natural Anti-Slip
GPC/GPR 0552
16x100



Paintwood Natural
GP 0548
15x75
Paintwood Natural Anti-Slip
GP 0552
15x75



Rodapé / Skirtings 7x75
8x100
Degrau / Step 50x100

FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETE BOX PALLET	PESO PALETE WEIGHT PALLET	M ² PALETE SQ.MT.PALLET
16X100	6	± 23,5 KG	1,00	48	± 1.104 KG	48,00
16X100 R	6	± 23,0 KG	0,96	48	± 1.104 KG	46,08
15X75	10	± 21,5 KG	1,13	60	± 1.290 KG	67,80

PAINTWOOD


WHITE



Paintwood White
GPC/GPR 0549
16x100
Paintwood White Anti-Slip
GPC/GPR 0553
16x100



Paintwood White
GP 0549
15x75
Paintwood White Anti-Slip
GP 0553
15x75



Rodapé / Skirtings 7x75
8x100
Degrau / Step 50x100

FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETE BOX PALLET	PESO PALETE WEIGHT PALLET	M ² PALETE SQ.MT.PALLET
16X100	6	± 23,5 KG	1,00	48	± 1.104 KG	48,00
16X100 R	6	± 23,0 KG	0,96	48	± 1.104 KG	46,08
15X75	10	± 21,5 KG	1,13	60	± 1.290 KG	67,80

PAINTWOOD


GREY



Paintwood Grey
GPC/GPR 0550
16x100
Paintwood Grey Anti-Slip
GPC/GPR 0554
16x100



Paintwood Grey
GP 0550
15x75
Paintwood Grey Anti-Slip
GP 0554
15x75



Rodapé / Skirtings 7x75
8x100
Degrau / Step 50x100

FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETE BOX PALLET	PESO PALETE WEIGHT PALLET	M ² PALETE SQ.MT.PALLET
16X100	6	± 23,5 KG	1,00	48	± 1.104 KG	48,00
16X100 R	6	± 23,0 KG	0,96	48	± 1.104 KG	46,08
15X75	10	± 21,5 KG	1,13	60	± 1.290 KG	67,80

PAINTWOOD


SMOKE



Paintwood Smoke
GPC/GPR 0551
16x100
Paintwood Smoke Anti-Slip
GPC/GPR 0555
16x100




Paintwood Smoke
GP 0551
15x75
Paintwood Smoke Anti-Slip
GP 0555
15x75




Rodapé / Skirtings 7x75
8x100
Degrau / Step 50x100

FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETE BOX PALLET	PESO PALETE WEIGHT PALLET	M ² PALETE SQ.MT.PALLET
16X100	6	± 23,5 KG	1,00	48	± 1.104 KG	48,00
16X100 R	6	± 23,0 KG	0,96	48	± 1.104 KG	46,08
15X75	10	± 21,5 KG	1,13	60	± 1.290 KG	67,80

SUSTAINABILITY




**GRÉS PORCELÂNICO • GLAZED PORCELAIN
GRÈS CÉRAME • FEINSTEINZEUG**



10,5mm



16x100



9,0mm




15x75

Espessura • Thickness



**VARIAÇÕES DE TONALIDADE • VARIATION IN TONE
VARIATIONS DE TONALITÉ • FARBABWEICHUNGENN**



V3

Aleatória • Random • Warnung • Aleatoria

**FORMAS DE APLICAÇÃO • TILING INSTRUCTIONS
FAÇONS DES POSE • VERLEFUNGARTEN**


Aplicação em contrafiada não recomendada a mais de 1/3 da peça.

It's not recommended laying the pieces more than 1/3 of the length of the tile.

Pose conseillée avec un décalage entre chaque carreau non supérieur à 1/3 de la longueur du carreau même.


Bei einer versetzten Verlegung empfehlen wir 2/3 [zweidrittel] Verbandverlegung.

Correto / Correct



1/3 Peça • Piece • Carreaux

Incorreto / Incorrect












1/2 Peça • Piece • Carreaux

Gresart - Cerâmica Industrial S.A.
Apartado 39 - EC de Oliveira do Bairro | 3770-954 Oliveira do Bairro | Portugal
Tel. +351 234 740 200 | Fax. +351 234 747 462
gresart@gresart.com | www.gresart.com



TECHNICAL DATA

Grés Porcelânico Vidrado
Glazed Porcelain Tiles
Grés Cérame Émaillé
Feinsteinzeug Glasiert
Grés Porcelánico

EN 14411:2012	Características Técnicas Technical Data Caractéristiques Techniques Technische Daten Datos Técnicos	Norma de Ensaio Test Norm Norme du Test Testnormen Norma de Prueba	Anexo • Annex Annexe • Anhang Grupo • Group Gruppe • Gruppe	G BI _a	GRESART [®] CERAMICA
	Comprimento e Largura Length and Width Longueur et Largeur Länge und Breite Longitud y Anchura		± 0,6 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Espessura Thickness Épaisseur Dichte Grosor		± 5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Rectilinearidade das Arestas Edge Warpages Rectitude des Arêtes Geradlinigkeit der Kanten Rectitud de los Bordos	EN ISO 10545-2	± 0,5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Medida da Ortogonalidade Rectangularity Angularité Rechtwinkligkeit der Kanten Grado de Ortogonalidad		± 0,5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Medida da Planaridade Surface Flatness Planéité de la Superficie Ebenflächigkeit Medición de Planaridad		± 0,5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Absorção de Água Water Absorption Absorption D'eau Wasseraufnahme Absorción de Agua	EN ISO 10545-3	E _b ≤ 0,5%		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência à Flexão Breaking Strength Résistance à la Flexion Biegefestigkeit Resistencia a la Flexión	Módulo de Rutura Modulus of Rupture Module de Rupture Bruchmodul Módulo de Rotura EN ISO 10545-4	≥ 35 N/mm ²		Garantido Guaranted Garanti Gewährleistet Garantizado
		Força de Rutura Breaking Strength Force de Rupture Bruchfestigkeit Resistencia a la Rotura	≥ 1300 N		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência à Abrasão Resistance to Abrasion Résistance à L'abrasion Abnutzungsbeständigkeit Resistencia a la Abrasion	EN ISO 10545-7	Segundo os Valores do Fabricante According to Manufacturer Requirements Selon les Valeurs du Fabricant Gemäss der Werte des Herstellers Según los Valores del Fabricante		Indicação na Tabela de Preços Indication on Price List Indication sur la Liste de Prix Hinweis auf der Preisliste Indicación en la Tabla de Precios
	Resistência ao Choque Térmico Resistance to Thermal Shock Résistance aux Chocs Thermiques Resistenz Gegen Thermischen Schock Resistencia ao Choue Térmico	EN ISO 10545-9	Exigido Required Exigée Gefordert Exigido		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência ao Fendilhamento Cracking Resistance Résistance aux Tréaillures Abnutzungsbeständigkeit Resistencia a lo Agrietado	EN ISO 10545-11	Exigido Required Exigée Gefordert Exigido		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência ao Gelo Frost Resistance Résistance au Gel Frostbeständigkeit Resistencia al Hielo	EN ISO 10545-12	Exigido Required Exigée Gefordert Exigido		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência aos Ácidos e Bases Resistance against Acids and Bases Résistance aux Acides et Bases Beständigkeit Gegen Säuren u Laugen Resistencia a los Ácidos y Bases	EN ISO 10545-13	Segundo os Valores do Fabricante According to Manufacturer Requirements Selon les Valeurs du Fabricant Gemäss der Werte des Herstellers Según los Valores del Fabricante		Mínimo: GLB Minimum: GLB Minimum: GLB Minimum: GLB Minimum: GLB
	Resistência aos Produtos de Limpeza Domesticos Resistance to Household Cleaning Products Résistance aux Produits Ménagers de Nettoyage Beständigkeit Gegen Haushaltsprodukte Resistencia a los Productos de Limpieza Domésticos		Mínimo: GB Minimum: GB Minimum: GB Minimum: GB Minimum: GB		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência às Manchas Staining Resistance Résistance aux Taches Beständigkeit Gegen Flecken Resistencia a las Manchas	EN ISO 10545-14	Mínimo: Classe 3 Minimum: Class 3 Minimum: Classe 3 Minimum: Klasse 3 Minimum: Clase 3		Garantido Guaranted Garanti Gewährleistet Garantizado



Cofinanciado por:



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional