

SANDSTONE

G R E S
A R T[®] 
C E R Á M I C A

WANDERLUST



SANDSTONE

90X90 / 45X90
60X60 / 30X60





SANDSTONE ASH 60X60



SANDSTONE ASH 60X60



SANDSTONE BONE 60X60



SANDSTONE BONE 90X90




SANDSTONE FOG 60X60



SANDSTONE SMOKE 60X60

SANDSTONE ASH



Sandstone Ash
GPR 0531
90x90




Sandstone Ash
GP 0531
GPR 0531
60x60




Sandstone Ash
GPR 0531
45x90



Sandstone Ash
GP 0531
GPR 0531
30x60



Mosaico Sandstone Ash
297,8x297,8 MM (4,7x4,7)
Junta 3 MM



Rodapé / Skirtings 9x60
9x90
Degrau / Step 30x60
60x60
45x90

FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETTE BOX PALLET	PESO PALETTE WEIGHT PALLET	M ² PALETTE SQ.MT.PALLET
90x90 R	1	± 20 KG	0,80	48	± 960 KG	38,40
45x90 R *	3	± 30 KG	1,20	28	± 840 KG	33,60
60x60	3	± 27 KG	1,10	32	± 864 KG	35,20
60x60 R	3	± 25 KG	1,06	32	± 800 KG	33,92
30x60	6	± 25 KG	1,08	32	± 800 KG	34,56
30x60 R	6	± 25 KG	1,06	32	± 800 KG	33,92

*Sujeito a encomenda
Only by special order

SANDSTONE BONE



Sandstone Bone
GPR 0530
90x90




Sandstone Bone
GPR 0530
GPR 0530
60x60




Sandstone Bone
GPR 0530
45x90



Sandstone Bone
GPR 0530
GPR 0530
30x60



Mosaico Sandstone Bone
297,8x297,8 MM (4,7x4,7)
Junta 3 MM



Rodapé / Skirtings 9x60
9x90
Degrau / Step 30x60
60x60
45x90

FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETTE BOX PALLET	PESO PALETTE WEIGHT PALLET	M ² PALETTE SQ.MT.PALLET
90x90 R	1	± 20 KG	0,80	48	± 960 KG	38,40
45x90 R *	3	± 30 KG	1,20	28	± 840 KG	33,60
60x60	3	± 27 KG	1,10	32	± 864 KG	35,20
60x60 R	3	± 25 KG	1,06	32	± 800 KG	33,92
30x60	6	± 25 KG	1,08	32	± 800 KG	34,56
30x60 R	6	± 25 KG	1,06	32	± 800 KG	33,92

*Sujeito a encomenda
Only by special order

SANDSTONE FOG



Sandstone Fog
GPR 0532
90x90




Sandstone Fog
GP 0532
GPR 0532
60x60




Sandstone Fog
GPR 0532
45x90



Sandstone Fog
GP 0532
GPR 0532
30x60



Mosaico Sandstone Fog
297,8x297,8 MM (4,7x4,7)
Junta 3 MM




Rodapé / Skirtings 9x60
9x90
Degrau / Step 30x60
60x60
45x90


FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETE BOX PALLET	PESO PALETE WEIGHT PALLET	M ² PALETE SQ.MT.PALLET
90x90 R	1	± 20 KG	0,80	48	± 960 KG	38,40
45x90 R *	3	± 30 KG	1,20	28	± 840 KG	33,60
60x60	3	± 27 KG	1,10	32	± 864 KG	35,20
60x60 R	3	± 25 KG	1,06	32	± 800 KG	33,92
30x60	6	± 25 KG	1,08	32	± 800 KG	34,56
30x60 R	6	± 25 KG	1,06	32	± 800 KG	33,92

*Sujeito a encomenda
Only by special order

SANDSTONE SMOKE




Sandstone Smoke
GPR 0533
90x90




Sandstone Smoke
GP 0533
GPR 0533
60x60




Sandstone Smoke
GPR 0533
45x90



Sandstone Smoke
GP 0533
GPR 0533
30x60



Mosaico Sandstone Smoke
297,8x297,8 MM (4,7x4,7)
Junta 3 MM




Rodapé / Skirtings 9x60
9x90
Degrau / Step 30x60
60x60
45x90


FORMATO SIZE	PEÇAS CAIXA PIECES BOX	PESO CAIXA WEIGHT BOX	M ² CAIXA SQ.MT.BOX	CAIXAS PALETE BOX PALLET	PESO PALETE WEIGHT PALLET	M ² PALETE SQ.MT.PALLET
90x90 R	1	± 20 KG	0,80	48	± 960 KG	38,40
45x90 R *	3	± 30 KG	1,20	28	± 840 KG	33,60
60x60	3	± 27 KG	1,10	32	± 864 KG	35,20
60x60 R	3	± 25 KG	1,06	32	± 800 KG	33,92
30x60	6	± 25 KG	1,08	32	± 800 KG	34,56
30x60 R	6	± 25 KG	1,06	32	± 800 KG	33,92

*Sujeito a encomenda
Only by special order

SUSTAINABILITY




GRÉS PORCELÂNICO • GLAZED PORCELAIN
GRÈS CÉRAME • FEINSTEINZEUG



10,8mm



90x90
45x90




10,5mm



60x60
30x60

Espessura • Thickness

VARIAÇÕES DE TONALIDADE • VARIATION IN TONE
VARIATIONS DE TONALITÉ • FARBABWEICHUNGENN



V2

Aleatória • Random • Aleatoire • Warnung










FULL HD DIGITAL
PRINTING
TECHNOLOGY

Gresart - Cerâmica Industrial S.A.
Apartado 39 - EC de Oliveira do Bairro | 3770-954 Oliveira do Bairro | Portugal
Tel. +351 234 740 200 | Fax. +351 234 747 462
gresart@gresart.com | www.gresart.com



TECHNICAL DATA

Grés Porcelânico Vidrado
Glazed Porcelain Tiles
Grés Cérame Émaillé
Feinsteinzeug Glasiert
Grés Porcelánico

EN 14411:2012	Características Técnicas Technical Data Caractéristiques Techniques Technische Daten Datos Técnicos	Norma de Ensaio Test Norm Norme du Test Testnormen Norma de Prueba	Anexo • Annex Annexe • Anhang Grupo • Group Gruppe • Gruppe	G BI _a	GRESART [®] CERAMICA
	Comprimento e Largura Length and Width Longueur et Largeur Länge und Breite Longitud y Anchura		± 0,6 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Espessura Thickness Épaisseur Dichte Grosor		± 5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Rectilinearidade das Arestas Edge Warpages Rectitude des Arêtes Geradlinigkeit der Kanten Rectitud de los Bordos	EN ISO 10545-2	± 0,5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Medida da Ortogonalidade Rectangularity Angularité Rechtwinkligkeit der Kanten Grado de Ortogonalidad		± 0,5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Medida da Planaridade Surface Flatness Planéité de la Superficie Ebenflächigkeit Medición de Planaridad		± 0,5 %		Garantido Guaranted Garanti Gewährleistet Garantizado
	Absorção de Água Water Absorption Absorption D'eau Wasseraufnahme Absorción de Agua	EN ISO 10545-3	E ₀ ≤ 0,5%		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência à Flexão Breaking Strength Résistance à la Flexion Biegefestigkeit Resistencia a la Flexión	Módulo de Rutura Modulus of Rupture Module de Rupture Bruchmodul Módulo de Rotura	EN ISO 10545-4	≥ 35 N/mm ²	Garantido Guaranted Garanti Gewährleistet Garantizado
		Força de Rutura Breaking Strength Force de Rupture Bruchfestigkeit Resistencia a la Rotura		≥ 1300 N	Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência à Abrasão Resistance to Abrasion Résistance à L'abrasion Abnutzungsbeständigkeit Resistencia a la Abrasion	EN ISO 10545-7	Segundo os Valores do Fabricante According to Manufacturer Requirements Selon les Valeurs du Fabricant Gemäss der Werte des Herstellers Según los Valores del Fabricante		Indicação na Tabela de Preços Indication on Price List Indication sur la Liste de Prix Hinweis auf der Preisliste Indicación en la Tabla de Precios
	Resistência ao Choque Térmico Resistance to Thermal Shock Résistance aux Chocs Thermiques Resistenz Gegen Thermischen Schock Resistencia ao Choue Térmico	EN ISO 10545-9	Exigido Required Exigée Gefordert Exigido		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência ao Fendilhamento Cracking Resistance Résistance aux Tréanillures Abnutzungsbeständigkeit Resistencia a lo Agrietado	EN ISO 10545-11	Exigido Required Exigée Gefordert Exigido		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência ao Gelo Frost Resistance Résistance au Gel Frostbeständigkeit Resistencia al Hielo	EN ISO 10545-12	Exigido Required Exigée Gefordert Exigido		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência aos Ácidos e Bases Resistance against Acids and Bases Résistance aux Acides et Bases Beständigkeit Gegen Säuren u Laugen Resistencia a los Ácidos y Bases	EN ISO 10545-13	Segundo os Valores do Fabricante According to Manufacturer Requirements Selon les Valeurs du Fabricant Gemäss der Werte des Herstellers Según los Valores del Fabricante		Mínimo: GLB Minimum: GLB Minimum: GLB Minimum: GLB Minimum: GLB
	Resistência aos Produtos de Limpeza Domesticos Resistance to Household Cleaning Products Résistance aux Produits Ménagers de Nettoyage Beständigkeit Gegen Haushaltsprodukte Resistencia a los Productos de Limpieza Domésticos		Mínimo: GB Minimum: GB Minimum: GB Minimum: GB Minimum: GB		Garantido Guaranted Garanti Gewährleistet Garantizado
	Resistência às Manchas Staining Resistance Résistance aux Taches Beständigkeit Gegen Flecken Resistencia a las Manchas	EN ISO 10545-14	Mínimo: Classe 3 Minimum: Class 3 Minimum: Classe 3 Minimum: Klasse 3 Minimum: Clase 3		Garantido Guaranted Garanti Gewährleistet Garantizado



Cofinanciado por:



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional